

Interior Wall Finish - FRP Option 1

The following is an example of the Romtec Interior Wall Finish - FRP option 1.

Specifications

Glasliner FRP

- Maximum Sanitation Protection
- Meets USDA Standards
- Maximum sanitation protection
- Significant cost savings over other materials
- Excellent Quality
- Years of dependable performance
- Resin rich surface that is tough & easy to clean
- Meets today's high sanitation standards
- Traditional pebbled finish

 <p>Bright White</p>	 <p>Almond</p>
 <p>Beige</p>	 <p>Light Gray</p>

Interior Wall Finish - FRP Option 2

The following is an example of the Romtec interior wall finish - FRP option 2.

Specifications

Marlite Standard FRP

- Resists stains, chemicals, scratches and abrasions and possesses high impact strength.
- Resistant to moisture, making the panel ideal for wet environments and does not support the growth of mold or mildew.
- Wipes clean easily with standard cleaning solutions.
- Meets USDA/FSIS requirements.
- Approved by Canadian Food Inspection Agency and Agriculture Canada.
- Available in Class III/C and Class I/A Fire-rating.
- Panel Size – 4' x 10'



S 100 S/2/S White

Interior Wall Finish - FRP Option 3

The following is an example of the Romtec interior wall Finish - FRP option 3.


Specifications

Marlite Symmetix FRP


- Resists staining, scratching, mold and mildew and won't crack or deteriorate like ceramic tile grout lines.
- Provides outstanding impact resistance due to fiberglass core.
- Wipes clean easily with standard cleaning solutions.
- Meets USDA/FSIS requirements.
- Available in Class III/C Fire-rating.
- Panel Dimension – 4' x 8' x 3/32"



C 100-G66 White



C 140-G44 Ivory



*C 118-G44 Almond**



C 145-G44 Silver


Interior Wall Finish - FRP Option 4

The following is an example of the Romtec interior wall finish - FRP option 4.

Specifications

Marlite Artizan FRP

- Replaces bland walls with exciting ambience.
- Resistant to moisture, making the panel ideal for wet environments and does not support the growth of mold or mildew.
- Wipes clean easily with standard cleaning solutions.
- Meets USDA/FSIS requirements.
- Approved by Canadian Food Inspection Agency and Agriculture Canada.
- Available in Class III/C and Class I/A Fire-rating.
- Panel Size – 4' x 8' x 3/32"



194 Cody



209 Adara



211 Grizel

Interior Wall Finish - FRP Option 4



182-G1212 Oxide (12 x 12 score, 1/4" brown groove)



5415-G88 Coronado (8x8 score, 1/4" brown groove)



5416-G88 Catalina (8x8 score, 1/4" brown groove)



181 - G1212 Dusk (12 x 12 score, 1/4" brown groove)